ARTIFACT SHEET

artifact t artifact t Example	tifact number below. Artifact number is application number + type code (see list below) + sequential letter (A, B, C). The first folder for an artifact type receives the letter A, the second B, etc es: 59123456PA, 59123456PB, 59123456ZA, 59123456ZB
Indicate individu	quantity of a single type of artifact received but not scanned. Create al artifact folder/box and artifact number for each Artifact Type.
	CD(s) containing: computer program listing Doc Code: Computer Artifact Type Code: P pages of specification and/or sequence listing and/or table Doc Code: Artifact Artifact Type Code: S content unspecified or combined Doc Code: Artifact Artifact Type Code: U
	Stapled Set(s) Color Documents or B/W Photographs Doc Code: Artifact Type Code: C
	Microfilm(s) Doc Code: Artifact Type Code: F
	Video tape(s) Doc Code: Artifact Type Code: V
	Model(s) Doc Code: Artifact Type Code: M
	Bound Document(s) Doc Code: Artifact
	Confidential Information Disclosure Statement or Other Documents marked Proprietary, Trade Secrets, Subject to Protective Order, Material Submitted under MPEP 724.02, etc. Doc Code: Artifact Artifact Type Code X
	Other, description: Doc Code: Artifact Type Code: Z

The United States of America



The Commissioner of Patents and Trademarks



Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.

Therefore, this

United States Patent

Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the invention throughout the United States of America or importing the invention into the United States of America for the term set forth below, subject to the payment of maintenance fees as provided by law.

If this application was filed prior to June 8, 1995, the term of this patent is the longer of seventeen years from the date of grant of this patent or twenty years from the earliest effective U.S. filing date of the application, subject to any statutory extension.

If this application was filed on or after June 8, 1995, the term of this patent is twenty years from the U.S. filing date, subject to any statutory extension. If the application contains a specific reference to an earlier filed application or applications under 35 U.S.C. 120, 121 or 365(c), the term of the patent is twenty years from the date on which the earliest application was filed, subject to any statutory extension.

Buce Tehman

Commissioner of Patents and Trademarks

Pandra I morta



United States Patent [19]

Petrie et al.

[11] Patent Number: 5,824,796

[45] Date of Patent:

Oct. 20, 1998

[54] CROSS-LINKING OLIGONUCLEOTIDES

[75] Inventors: Charles R. Petrie; Rich B. Meyer. both of Woodinville; John C. Tabone.

Bothell, all of Wash.; Gerald D. Hurst.

Iowa City, Iowa

[73] Assignee: EPOCH Pharmaceuticals, Inc.

Bothell, Wash.

[21] Appl. No.: 334,490

[22] Filed: Nov. 4, 1994

Related U.S. Application Data

Continuation of Ser. No. 49,807, Apr. 20, 1993, abandoned, which is a continuation of Ser. No. 353,857, May 18, 1989, abandoned, which is a continuation-in-part of Ser. No. 250,474, Sep. 28, 1988, abandoned.

[51] Int. Cl.⁶ C07H 19/04; C07H 21/00; C07H 21/02; C07H 21/04 U.S. Cl. 536/26.7; 536/24.5

Field of Search 536/26.1, 26.12,

536/26.13, 26.14, 26.8, 27.6, 27.81, 28.5, 28.54, 26.7, 24.5

[56]

References Cited U.S. PATENT DOCUMENTS

	• 3,598,807	8/1971	Nakayama et al
	3,962,211	6/1976	Townsend et al
••	4 ,123,610	10/1978	Summerton et al 536/28
٠	• 4,582,789	4/1986	Sheldon et al
•	• 4,599,303	7/1986	Yabusaki et al
	• 4,711,955	12/1987	Ward et al 536/29
X	4,766,062	8/1988	Diamond et al
,	4,795,700	1/1989	Dervan et al. 435/6
	4,837,311	6/1989	Tam et al.
•	5,176,996	1/1993	Hogan et al
	EO	DETON	

FOREIGN PATENT DOCUMENTS

•	DOCOMENIA
• 0021293 • 1/1981 • 0198207 • 10/1986 • 0227459 • 7/1987 • 0242264 • 10/1987 • 0259186 • 3/1988 • 0266099 • 5/1988 • 0267996 • 5/1988 • 0375406 • 6/1990 • 3310337 • 9/1984 • 6109797 • 11/1984 • 84/03285 • 8/1984 • WO8502628 • 6/1985 • WO8503075 • 7/1985 • 86/02929 • 5/1986 • 86/04816 • 8/1986 • WO8707611 • 12/1987 • 88/10264 • 12/1988 • 90/14353 • 11/1990 • 90/15884 • 12/1990 • 91/18997 • 12/1991 • 92/20608 • 11/1992	European Pat. Off
1 92/20698 11/1992	WIPO C07H 21/04
• 93/03736 * 3/1993	WIPO A61K 31/70
Officer	

OTHER PUBLICATIONS

- ^e Hobbs, Frank W. Jr. Org. Chem., (1989) 54:3420-3422.
- Umlauf, Scott W. et al. J. of Bio. Chem. (1990) 265/ 28:16898-16912.

- · Register. James C. III et al. J. of Bio. Chem. (1987) 262/ 26:12812-12820.
- . Thoung. Nguyen Thanh et al. Biochimie. (1985) 67:673-684.
- Chang. Susanne et al. J. of Bio. Chem. (1988) 263/20:15110–15117.
- · A Knorre, D. G. et al. "complementarily addressed modification of double-stranded DNA in a triple-stranded complex" Dokl. Akad. NAUK SSSR (1988) 300/4:1006-9.
- · Petrie. Charles T. et al. Bioconjugate Chemistry, (1991) 2/6:441-446.
- ⁴ Sidwell, Robert W. et al. Applied Microbiology. (1968) 16/2:370-392.
- Seela, Frank et al. Nucleic Acids Research, (1982) 10/4:1389-1397.

(List continued on next page.)

Primary Examiner-Gary L. Kunz Attorney, Agent, or Firm-Klein & Szekeres, LLP

[57] **ABSTRACT**

This invention is directed to novel substituted nucleotide bases with a crosslinking arm which accomplish crosslinking between specific sites on adjoining strands of oligonucleotides or oligodeoxynucleotides. The invention is also directed to oligonucleotides comprising at least one of these crosslinking agents and to the use of the resulting novel oligonucleotides for diagnostic and therapeutic purposes. The crosslinking agents of the invention are of the following formula (I'):

$$R_1$$
—B— $(CH_2)_q$ — $(Y)_r$ — $(CH_2)_m$ —A' (I')

wherein,

R₁ is hydrogen, or a sugar moiety or analog thereof optionally substituted at its 3' or its 5' position with a phosphorus derivative attached to the sugar moiety by an oxygen and including groups Q1 Q2 and Q3 or with a reactive precursor thereof suitable for nucleotide bond formation;

Q₁ is hydroxy, phosphate or diphosphate;

 Q_2 is =0 or =S;

 Q_3 is CH_2 —R', S—R', O—R', or N—R'R";

each of R' and R" is independently hydrogen or C_{1-6} alkyl;

B is a nucleic acid base or analog thereof that is a component of an oligonucleotide;

Y is a functional linking group;

each of m and q is independently 0 to 8, inclusive;

r is 0 or 1; and

A' is a leaving group.

This invention is also directed to novel 3.4-disubstituted and 3.4.-trisubstituted pyrazolo[3.4-d]-pyrimidines and to the use of these nucleic acid bases in the preparation of oligonucleotides. The invention includes nucleosides and monoand oligonucleotides comprising at least one of these pyrazolopyrimidines, and to the use of the resulting novel oligonucleotides for diagnostic purposes.